Index to Volume 32

Authors and Titles

Abbott, L. K., and Robson, A. D.—
Infectivity and effectiveness of five endomycorrhizal fungi: competition with indigenous fungi in field soils 621
Infectivity and effectiveness of vesicular arbuscular mycorrhizal fungi: effect of inoculum type 631

Ali, S. M.—
Barley grass as a source of pathogenic variation in *Rhynchosporium secalis* 21

Anderson, N. *See* Young, R. R. 371

Asher, C. J. *See* Hunter, M. N. 69

Axelsen, A. *See* Cunningham, R. B. 669

Bacon, B. E.—
The effect of hedging time on regrowth and flowering of mature Valencia orange trees 61

Balnave, D. *See* Srichai, Yaowapa 183

Barlow, Roger *See* Thompson, J. M. 161, 171

Barnett, J. L., and Star, M. L.—
Relationship between plasma corticosteroids and weight change in recently parous lactating and dry sheep 487

Bateman, M. A., and Morton, T. C.—
The importance of ammonia in proteinaceous attractants for fruit flies (Family Tephritodae) 883
See also Morton, T. C. 905

Birrell, H. A.—
Some factors which affect the liveweight change and wool growth of adult Corriedale wethers grazed at various stocking rates on the perennial pastures of southern Victoria 353

Bowler, J. K. *See* Smeal, M. G. 825

Bowles, J. E. *See* Langlands, J. P. 479, 511, 523

Bray, R. A., and Hacker, J. B.—
Genetic analysis in the pasture grass *Setaria sphacelata*. II. Chemical composition, digestibility and correlations with yield 311
See also Hacker, J. B. 295

Brennan, P. S., Byth, D. E., Drake, D. W., De Lacy, I. H., and Butler, D. G.—
Determination of the location and number of test environments for a wheat cultivar evaluation program 189

Butler, D. G. *See* Brennan, P. S. 189

Byth, D. E. *See* Brennan, P. S. 189; Hunter, M. N. 69; McLean, R. J. 435

Callinan, A. P. L. *See* Thompson, R. L. 975

Carter, E. D. *See* Papystylianou, I. 703

Chandler, B. S. *See* Hunter, R. A. 927

Charles, D. D. *See* Johnson, E R. 987

Collins, W. J.—
The effects of lengths of growing season, with and without defoliation, on seed yield and hard-seededness in swards of subterranean clover 783

Cook, S. J., and Dolby, G. R.—
Establishment of buffel grass, green panic and Siratro from seed broadcast into a speargrass pasture in southern Queensland 749

Craswell, E. T. *See* Freney, J. R. 37

Cunningham, R. B., Axelsen, A., and Morley, F. H. W.—
The analysis of the distribution of conception times in beef heifers 669

Dahmane, A. B. K., and Graham, R. D.—
Effect of phosphate supply and competition from grasses on growth and nitrogen fixation of *Medicago trunculata* 761

De Lacy, I. H. *See* Brennan, P. S. 189

Denmead, O. T. *See* Freney, J. R. 37

Dolby, G. R. *See* Cook, S. J. 749

Doll, H. *See* Oram, R. N. 425

Dolling, C. H. S. *See* Kleeman, D. O. 965

Donald, G. E. *See* Langlands, J. P. 479, 523

Doughty, F. R. *See* Smeal, M. G. 813

Drake, D. W. *See* Brennan, P. S. 189

Dubé, A. J. *See* Fisher, J. M. 545; McKay, A. C. 917

Edwards, D. G. *See* Hunter, M. N. 69, 871

Edwards, J. C. *See* Stephenson, R. G. A. 497

Farlow, P. J.—
Effect of low temperature on number and location of developed seed in two cultivars of French beans (*Phaseolus vulgaris* L.) 325

Fisher, H. M. *See* White, C. L. 47

Fisher, J. M., Rathjen, A. J., and Dubé, A. J.—
Tolerance of commercial cultivars and breeders' lines of wheat to *Heterodera avenae* Woll. 545
See also McKay, A. C. 917; O'Brien, P. C. 553

Fox, P. N., and Rathjen, A. J.—
Relationships between sites used in the interstate wheat variety trials 691

Fletcher, I. C.—
Effects of energy and protein intake on ovulation rate associated with the feeding of lupin grain to Merino ewes 79

Flood, R. G. *See* Rahman, M. S. 243

Freney, J. R., Denmead, O. T., Watanabe, I., and Craswell, E. T.—
Ammonia and nitrous oxide losses following applications of ammonium sulfate to flooded rice 37
See also Randall, P. J. 203

Gardener, C. J. *See* Mott, J. J. 861

Gates, C. T., Jones, D. B., Müller, W. J., and Hicks, J. S.—
The interaction of nutrients and tillage methods on wheat and weed development 227

Graham, R. D., and Nambiar, E. K. S.—
Advances in research on copper deficiency in cereals 1009
See also Dahmane, A. B. K. 761

Greber, R. S.—
Maize stripe disease in Australia 27
See also Persley, D. M. 741

Green, A. G., and Marshall, D. R.—
Variation for oil quantity and quality in linseed (*Linum usitatissimum*) 599

Gregory, I. P., and Ponzoni, R. W.—
Genetic studies of South Australian Merino sheep.
I. Genetic change in fleece and body traits 641
II. Environmental effects on wool and body traits at 15–16 months of age 657

Groves, R. H. *See* Lush, W. M. 731

Hacker, J. B., and Bray, R. A.—
Genetic analysis in the pasture grass *Setaria sphacelata*. I. Dry matter yield and flowering 295
See also Bray, R. A. 311

Halloran, G. M.—
Cultivar differences in nitrogen translocation in wheat 535
See also Rahman, M. S. 243; Ridland, P. M. 773

Halloran, G. M., and Pennell, Annabel L.—
Distribution and variability in development of the genus *Trigonella* in Asia Minor and its possible use in Australian environments 793

Harding, W. B. *See* Smeal, M. G. 813

Harradine, A. R., and Whalley, R. D. B.—
A comparison of the root growth, root morphology and root response to defoliation of *Aristida ramosa* R.Br. and *Danthonia linkii* Kunth 565

Harrison, P. G. *See* McCown, R. L. 575

Hendricksen, R. E., Poppi, D. P., and Minson, D. J.—
The voluntary intake, digestibility and retention time by cattle and sheep of stem and leaf fractions of a tropical legume (*Lablab purpureus*) 389

Hicks, J. S. *See* Gates, C. T. 227

Hopkins, P. S. *See* Stephenson, R. G. A. 497

Hotson, I. K. *See* Smeal, M. G. 813

Hudson, D. R., Hunter, R. A., and Peter, D. W.—
Studies with the intraruminal selenium pellet. II. The effect of grain size of selenium on the functional life of the pellets in sheep 935
See also Hunter, R. A. 927

Hunt, Susan G. *See* Walker, D. M. 89

Hunter, M. N., Byth, D. E., Edwards, D. G., and Asher, C. J.—
Effects of watering technique and pot size on response of soybean cultivars to applied zinc 69

Hunter, M. N., and Edwards, D. G.—
The influence of watering regimen on soil pH and zinc nutrition of soybean cv. Wills grown in pot culture 871

Hunter, R. A., Peter, D. W., Hudson, D. R., and Chandler, B. S.—
Studies with the intraruminal selenium pellet. I. Some factors influencing the effectiveness of the pellet for selenium supplementation of sheep 927
See also Hudson, D. R. 935

Johnson, E. R., and Charles, D. D.—
The use of carcass cuts to predict beef carcass composition: a research technique 987

Johnson, E. R., and Vidyadaran, M. K.—
An evaluation of different sites for measuring fat thickness in the beef carcass to determine carcass fatness 999

Johnston, B. *See* Thomson, J. M. 161

Jones, D. B. *See* Gates, C. T. 227

Jones, W. O. *See* Symons, L. E. A. 139

Kalmar, D. *See* Lahav, E. 465

Kennedy, A. P., and Till, A. R.—
The distribution in soil and plant of ^{35}S from sheep excreta 339

Kleeman, D. O., Dolling, C. H. S., and Ponzoni, R. W.—
Contribution of maternal environment and lamb genotype to growth of lambs from Merino, Poll Dorset × Merino and Border Leicester × Merino ewes 965

Lahav, E., and Kalmar, D.—
Shortening the irrigation interval as a means of saving water in a banana plantation 465

Langlands, J. P., Bowles, J. E., Donald, G. E., Smith, A. J., and Paull, D. R.—
Copper status of sheep grazing pastures fertilized with sulfur and molybdenum 479

Langlands, J. P., Bowles, J. E., Smith, A. J., and Donald, G. E.—
Selenium concentration in the blood of ruminants grazing in northern New South Wales. II. Relationship with geological, pedological and other variables 523

Langlands, J. P., Wilkins, J. F., Bowles, J. E., Smith, A. J., and Webb, R. F.—
Selenium concentration in the blood of ruminants grazing in northern New South Wales. I. Analysis of samples collected in the National Brucellosis Eradication Scheme 511

Leibholz, Jane—
Tryptophane requirements of pigs between 28 and 56 days of age 845

Loneragan, J. F. *See* Reuter, D. J. 257, 267, 283

Lush, W. M., and Groves, R. H.—
Germination, emergence and surface establishment of wheat and ryegrass in response to natural and artificial hydration–rehydration cycles 731

McCown, R. L., Wall, B. H., and Harrison, P. G.—
The influence of weather on the quality of tropical legume pasture during the dry season in northern Australia. I. Trends in sward structure and moulding of standing hay at three locations 575

McCown, R. L., and Wall, B. H.—
The influence of weather on the quality of tropical legume pasture during the dry season in northern Australia. II. Moulding of standing hay in relation to rain and dew 589

McGhie, D. A., and the late Posner, A. M.—
The effect of plant top material on the water repellence of fired sands and water repellent soils 609

McKay, A. C., Fisher, J. M., and Dubé, A. J.—
Ecological field studies on *Anguina funesta*, the vector in annual ryegrass toxicity 917

McKeon, G. M. *See* Mott, J. J. 861

McLean, R. J., and Byth, D. E.—
Histological studies of the pre-penetration development and penetration of soybeans by rust, *Phakospora pachyrhizi* Syd. 435

McPhee, C. P.—
Selection for efficient lean growth in a pig herd 681

MacRitchie, F. *See* Moss, H. J. 213

Malouf, N. M., and Walker, D. M.—
Milk replacers containing soybean protein isolates or concentrates: nitrogen digestibility and utilization by preruminant lambs 801

't Mannetje, L. *See* Mott, J. J. 861

Marshall, D. R. *See* Green, A. G. 599

Martin, I. F. *See* Persley, D. M. 741

Mayer, R. J. *See* Rees, R. G. 851

Minson, D. J. *See* Poppi, D. P. 99, 109, 123; Hendricksen, R. E. 389

Morley, F. W. H. *See* Cunningham, R. B. 669

Morton, T. C., and Bateman, M. A.—
Chemical studies on proteinaceous attractants for fruit flies, including the identification of volatile constituents 905
See also Bateman, M. A. 883

Morgan, J. H. L.—
A comparison of breeds and their crosses for beef production. II. Growth and puberty of heifers 839

Morgan, J. H. L., and Saul, G. R.—
A comparison of breeds and their crosses for beef production. I. Birth and weaning traits. 399

Moss, H. J., Wrigley, C. W., MacRitchie, F., and Randall, P. J.—
Sulfur and nitrogen fertilizer effects on wheat. II. Influence on grain quality 213

Mott, J. J., McKeon, G. M., Gardener, C. J., and 't Mannetje, L.—
Geographic variation in the reduction of hard seed content of *Stylosanthes* seeds in the tropics and subtropics of northern Australia 861

Müller, W. J. *See* Gates, C. T. 227

Murray, D. M., Schmidt, P. J., and Yeates, N. T. M.—
Effects of nutritional state on responses of Hereford steers to enforced exercise in a hot environment 149

Nambiar, E. K. S. *See* Graham, R. D. 1009

Nicholls, P. J. *See* Smeal, M. G. 813, 825; Thompson, J. M. 161

O'Brien, P. C., and Fisher, J. M.—
Ontogeny of spring wheat and barley infested with cereal cyst nematode (*Heterodera avenae*) 553

Oram, R. N., and Doll, H.—
Yield improvement in high lysine barley 425

Palmer, M. J. *See* Rossiter, R. C. 445

Papastylianou, I., Puckridge, D. W., and Carter, E. D.—
Nitrogen nutrition of cereals in a short-term rotation. I. Single season treatments as a source of nitrogen as a source for subsequent cereal crops 703

Papastylianou, I., and Puckridge, D. W.—
Nitrogen nutrition of cereals in a short-term rotation. II. Stem nitrate as an indicator of nitrogen availability 713

Paull, D. R. *See* Langlands, J. P. 479

Pederson, D. G., and Rathjen, A. J.—
Choosing trial sites to maximize selection response for grain yield in spring wheat 411

Persley, D. M., Martin, I. F., and Greber, R. S.—
The resistance of maize inbred lines to sugarcane mosaic virus in Australia 741

Peter, D. W. *See* Hudson, D. R. 935; Hunter, R. A. 927

Pinkerton, A., and Simpson, J. R.—
Effects of subsoil acidity on the shoot and root growth of some tropical and temperate forage legumes 453

Platz, G. J. *See* Rees, R. G. 851

Plumb, R. T. *See* Smith, P. R. 249

Ponzoni, R. W. *See* Gregory, I. P. 641, 657; Kleeman, D. O. 965

Poppi, D. M., Minson, D. J., and Ternouth, J. H.—
Studies of cattle and sheep eating leaf and stem fractions of grasses.
I. The voluntary intake, digestibility and retention time in the reticulo-rumen 99
II. Factors controlling the retention of feed in the reticulo-rumen 109
III. The retention time in the rumen of large feed particles 123
See also Hendricksen, R. E. 389

Posner, A. M., the late *See* McGhie, D. A. 609

Puckeridge, D. W. *See* Papastylianou, I. 703, 713

Rahman, M. S., Flood, R. G., and Halloran, G. M.—
Grain yield responses to applied gibberellin in normal-height and semi-dwarf wheats 243

Randall, P. J., Spencer, K., and Freney, J. R.—
Sulfur and nitrogen fertilizer effects on wheat.
I. Concentration of sulfur and nitrogen and the nitrogen to sulfur ratio in grain, in relation to the yield response 203
See also Moss, H. J. 213

Rathjen, A. J. *See* Fisher, J. M. 545; Fox, P. N. 691; Pederson, D. G. 411

Rees, R. G., Mayer, R. J., and Platz, G. J.—
Yield losses in wheat from yellow spot: a disease-loss relationship derived from single tillers 851

Rees, R. G., and Syme, J. R.—
Epidemics of stem rust and their effects on grain yield in the wheat WW15 and some of its derivatives 725

Reuter, D. J., Robson, A. D., Loneragan, J. F., and Tranthim-Fryer, D. J.—
Copper nutrition of subterranean clover (*Trifolium subterraneum* L. cv. Seaton Park).
I. Effects of copper supply on growth and development 257
II. Effects of copper supply on distribution of copper and the diagnosis of copper deficiency by plant analysis 267
III. Effects of phosphorus supply on the relationship between copper concentrations in plant parts and yield 283

Ridland, P. M., and Halloran, G. M.—
The influence of the lucerne bud mite (*Eriophyes medicaginis* Keifer) on the growth of lucerne 773

Robinson, G. G. *See* Smeal, M. G. 825

Robson, A. D. *See* Abbott, L. K. 621, 631; Reuter, D. J. 257, 267, 283; White, C. L. 47

Rossiter, R. C., and Palmer, M. J.—
An analysis of seed yield in some strains of subterranean clover (*Trifolium subterraneum* L.) when grown in binary mixtures 445

Saul, G. R. *See* Morgan, J. H. L. 399

Schmidt, P. J. *See* Murray, D. M. 149

Scott, D. J. *See* Wills, R. B. H. 331

Simpson, J. R. *See* Pinkeron, A. 453

Smeal, M. G., Nicholls, P. J., Webb, R. F., Hotson, I. K., Doughty, F. R., and Harding, W. B.—
The effect of anthelmintic treatments on the growth of beef cattle in New South Wales 813

Smeal, M. G., Nicholls, P. J., Robinson, G. G., Bowler, J. K., Webb, R. F., and Walker, K. H.—
The effects of grazing management systems on growth and nematode infections of beef cattle 825

Smith, A. J. *See* Langlands, J. P. 479, 511, 523

Smith, P. R., and Plumb, R. T.—
Barley, yellow dwarf, virus infectivity of cereal aphids trapped at two sites in Victoria 249

Spencer, K. *See* Randall, P. J. 203

Srichai, Yaowapa and Balnave, D.—
Egg weight responses to dietary supplementation with sunflower oil and rice pollard 183

Star, M. L. *See* Barnett, J. L. 487

Steel, J. W. *See* Symons, L. E. A. 139

Stephenson, R. G. A., Edwards, J. C., and Hopkins, P. S.—
The use of urea to improve milk yields and lamb survival of Merinos in a dry tropical environment 497

Stynes, B. A., and Veitch, L. G.—
A synoptic approach for crop loss assessment used to study wheat. IV. The description of cultural practices and the combination of cultural data with soil data 1

Stynes, B. A., Veitch, L. G., and Wallace, H. R.—
A synoptic approach for crop loss assessment used to study wheat. V. Crop growth and yield 9

Syme, J. R. *See* Rees, R. G. 725

Symons, L. E. A., Steel, J. W., and Jones, W. O.—
Effect of level of larval intake on the productivity and physiological and metabolic responses of lambs infected with *Ostertagia circumcincta* 139

Ternouth, J. H. *See* Poppi, D. P. 99, 109, 123

Thompson, J. M., Barlow, Roger, Johnston, B., and Nicholls, P. J.—
Growth and carcass characteristics of crossbred and straightbred Hereford steers. I. Post-weaning growth 161

Thompson, J. M., and Barlow, Roger—
Growth and carcass characteristics of crossbred and straightbred Hereford steers. II. Carcass measurements and composition 171

Thompson, R. L., and Callinan, A. P. L.—
The effects of nematodiasis on weaner sheep in western Victoria 975

Thwaites, C. J. *See* Wynn, P. C. 947, 957

Till, A. R. *See* Kennedy, A. P. 339

Tranthim-Fryer, D. J. *See* Reuter, D. J. 257, 267, 283

Veitch, L. G. *See* Stynes, L. G. 1, 9

Vidyadaran, M. K. *See* Johnson, E. R. 999

Walker, D. M., and Hunt, Susan, G.—
Early weaning of lambs: effect of various preweaning factors on voluntary food intake before and after weaning 89
See also Malouf, N. M. 801
Walker, K. H. *See* Smeal, M. G. 825
Wall, B. H. *See* McCown, R. L. 575, 589
Wallace, H. R. *See* Stynes, L. G. 9
Watanabe, I. *See* Freney, J. R. 37
Webb, R. F. *See* Langlands, J. P. 511; Smeal, M. G. 813, 825
Whalley, R. D. M. *See* Harradine, A. R. 565
White, C. L., Robson, A. D., and Fisher, H. M.—
Variation in nitrogen, sulfur, selenium, cobalt, manganese, copper and zinc contents of grain from wheat and two lupin species grown in a range of Mediterranean environments 47
Wilkins, J. F. *See* Langlands, J. P. 511
Wills, R. B. H., and Scott, K. S.—
Studies on the relationship between minerals and the development of storage breakdown in apples 331
Wrigley, C. W. *See* Moss, H. J. 213
Wynn, P. C., and Thwaites, C. J.—
The relative growth and development of the carcass tissues of Merino and crossbred rams and wethers 947
Comparison of carcass chemical fat content and muscle distribution in Merino and crossbred ewes and wethers from birth to 50 kg liveweight 957

Yeates, N. T. M. *See* Murray, D. M. 149
Young, R. R., and Anderson, N.—
The ecology of the free-living stages of *Ostertagia ostertagi* in a winter rainfall region 371

Printed by CSIRO, Melbourne